



#### HOME OFFICE

PO Box 1605  
5409 Hamlet Drive  
Findlay, Ohio 45840-1605 USA  
inquiries@rowmark.com

#### EUROPE OFFICE/WAREHOUSE

Schaarbeekstraat 44  
9120 Beveren-Waas  
Belgium  
+32 (0)3 870 41 10  
emea@rowmark.com

#### TECHNICAL SUPPORT

877.769.6275 /// 419.425.8974  
techhelp@rowmark.com

#### CUSTOM REQUESTS

800.243.3339 /// 419.425.2407  
customerservice@rowmark.com

877.rowmark / rowmark.com



Engage. Interact. Share.



## Stand out with ColorCast Acrylics

ColorCast Acrylics is a cell-cast acrylic sheet with excellent optical characteristics, UV stability, exceptional surface hardness and machines more cleanly than Continuous Cast or Extruded acrylic materials.

ColorCast Acrylics is perfect for interior and exterior signage where a tough surface and resistance to the elements are required. This material also allows you to perform fine, detailed laser and rotary engraving.



# COLORCAST ACRYLICS



Red

CC342-600M 2-ply 1/8"  
 CC342-600G 2-ply 1/8"  
 CC352-600M 2-ply 1/4"  
 CC352-600G 2-ply 1/4"




Blue

CC342-500M 2-ply 1/8"  
 CC342-500G 2-ply 1/8"  
 CC352-500M 2-ply 1/4"  
 CC352-500G 2-ply 1/4"




Navy Blue

CC342-550M 2-ply 1/8"  
 CC342-550G 2-ply 1/8"  
 CC352-550M 2-ply 1/4"  
 CC352-550G 2-ply 1/4"




Almond

CC342-850M 2-ply 1/8"  
 CC342-850G 2-ply 1/8"  
 CC352-850M 2-ply 1/4"  
 CC352-850G 2-ply 1/4"



White

CC342-200M 2-ply 1/8"  
 CC342-200G 2-ply 1/8"  
 CC352-200M 2-ply 1/4"  
 CC352-200G 2-ply 1/4"



Grey

CC342-300M 2-ply 1/8"  
 CC342-300G 2-ply 1/8"  
 CC352-300M 2-ply 1/4"  
 CC352-300G 2-ply 1/4"



Black

CC342-400M 2-ply 1/8"  
 CC342-400G 2-ply 1/8"  
 CC352-400M 2-ply 1/4"  
 CC352-400G 2-ply 1/4"




Gold

CC342-710M 2-ply 1/8"  
 CC342-710G 2-ply 1/8"  
 CC352-710M 2-ply 1/4"  
 CC352-710G 2-ply 1/4"



Silver

CC342-330M 2-ply 1/8"  
 CC342-330G 2-ply 1/8"  
 CC352-330M 2-ply 1/4"  
 CC352-330G 2-ply 1/4"



Clear

CC342-100M 1-ply 1/8"  
 CC342-100G 1-ply 1/8"  
 CC352-100M 1-ply 1/4"  
 CC352-100G 1-ply 1/4"

## COLORCAST ACRYLICS TECHNICAL SPECIFICATIONS

### Material

Microsurfaced cell cast acrylic for reverse engraving

### Finish

Matte (M)  
Gloss (G)

### Sheet Size

24" x 48" +0, -125" //  
610mm x 1219mm

### Engraving Depth

.003" // 0.08mm

### Usage

ADA Compliant/Tactile Signs (*Matte only*)  
 Craft & Artistry Projects  
 Exterior Signage  
 Interior Signage  
 Illuminated Wayfinding  
 Personal Identification  
 Trophies, Plaques & Awards

### Capabilities

Back-lighting  
 Bonds  
 Hot Stamps  
 Saws  
 Shears (*works on thicknesses 1/16" & under*)  
 Permits Fine Detail Engraving  
 Bevels  
 Drills  
 Laser Vector Cuts  
 Screen Prints

Cast acrylics have thickness variations that may present difficulties in applications where thickness tolerance is important (i.e. fitting into extrusions, thermoforming applications where walls must maintain uniform thickness and assembly of complex structures). Check gauge when non-contact engraving takes place, and to periodically re-check focal lengths when laser engraving. Multiple passes may be required when lasering certain gauges.